

AD 660

Doosan
Mecc Alte
D+ &



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC & \$\$\$#(#
z) \$ z' z' D:

	"	"	"	"	Amp
400/230	660,00	528,00	611,00	488,00	881,00

Standard Specifications

ALTERNATOR

D; A Z' 5J F

TRANSFER SWITCH

AD 660

Doosan
Mecc Alte
D+' &'

Manufacturer		Doosan		
Model		P222LE		
		%\$\$ "# "		
)+(" "		
		Q*- <DQ		
	L	21,93		
	"	128 x 142		
		15,0:1		
	fl # ı	"# "	1500	
	fl ı	L	40,00	
		L	113,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	38,00		
	' # "	650		
	' # "	117,50		
	° C	580		
		24 V d.c.		
	Load	%\$\$ı	'+)ı)\$ı
	# "			
		134,00	97,60	65,80


		Mecc Alte		
		ECO 40-1,5L/4		
	Hz	50		
	"	620		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	894		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AD 660	4050	3700	1400	2110	900
		fl ı		fl ı	
	"	"	"	"	L
AK 85	5610	5800	1610	2550	1100

AD 660

Doosan
Mecc Alte
D+' &'

1 D+' &'



2

"8G9ž '+' &\$ž) 5ž&&\$#(\$

3

4

5

'8G9+' &\$
)\$ ž

"'8G9+' &\$
'8G9+' &\$
ž

% &1* (
žFG&' &žFG(,) ž

ž

AD 660

Doosan
Mecc Alte
D+' &'

f@#@Bt
f@#@@t

"z" "z" "z"

f@#@Bt

971

#

#

#

#

#

6G'9B**\$-\$)

6G'9B**%\$\$\$!*!&

6G'9B**%\$\$\$!*!(

f&)(, t

f&)% +t

f&)% \$t

GA 8

!&(

"

)

ž

ž

%, !&* \$

&(\$)

ž

ž

AD 660

Doosan
Mecc Alte
D+ &

5? ,) !'



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

Technical specifications and descriptions for the generator, including details on power output, fuel consumption, and operational parameters. The text is partially obscured by symbols and noise.

	"	1610
fl "L	"	5800
fl "L	"	2550
		1100