


# APD 275 C

Cummins  
Akso  
D+ &



## SZUTEST

GC - \$\$%

## 2000/14/EC

&\$\$\$( / #

z) \$ z' \$z 'D:

	"	"	"	"	Amp
400/230	275,00	220,00	250,00	200,00	360,00

Standard Specifications

Akso power generation system, providing optimum performance, reliability, and versatility for stationary standby, prime power, and continuous duty applications. All generator sets are prototype tested, factory build, and production tested.

ALTERNATOR

TRANSFER SWITCH

# APD 275 C

Cummins  
Aksa  
D+' &'



Manufacturer		Cummins		
Model		6 LTAA8,9-G2		
		% \$ \$ ' "# "		
		&( ' ' "		
		0 &) < DQ		
	L	8,90		
	"	114 X 144		
		16,6:1		
	fl # ı	"# "	1500	
	fl ı	L	27,60	
		L	41,10	
AbsorbedAirDischargeReSourceKey.Text	' # "	20,00		
	' # "	475		
	' # "	38,00		
	° C	470		
		24 V d.c.		
	Load	% \$ \$ ı	' +) ı	) \$ ı
	# "	53,00	39,00	27,00


		Aksa
		AK4200
	Hz	50
	"	250
7cg'		0,80
		3
	ıfl ı	400/230
	A	360

		ıfl ı		ıfl ı	
	"	"	"	"	L
APD 275 C	2050	2600	1250	1700	470
		ıfl ı		ıfl ı	
	"	"	"	"	L
APD 275 C	2600	3650	1320	2040	

# APD 275 C

Cummins  
Akxa  
D+' &'

## 1 D+' &'



## 2

"8G9ž '+' &\$ž ) 5ž&&\$#( \$

## 3

## 4

## 5

"8G9+' &\$ ž ) \$' ž ž "8G9+' &\$ ž "8G9+' &\$

ž "

% &1 \*('

žFG&' &žFG(, ) ž "

ž

# APD 275 C

Cummins  
Aksa  
D+' &''



f@#@Bt  
f@#@@t

"z" "z"

f@#@Bt

971

#

#

#

#

#

6G'9B\*\*\$-) '\$

6G'9B\*\*%\$\$\$!\*!&

6G'9B\*\*%\$\$\$!\*!(

f&%) +t

f&)(, t

f&% \$t

GA 8

"

%, !&\* \$

"

)  
&(\$)

ž

ž

!&(

"

ž

ž

"

"

# APD 275 C

Cummins  
Aksa  
D+ & "



5D8'&+) '7 !'

1

f) !&+) 7

ž

ž

1

ž

ž

ž

ž

	"	1320
f) 7	"	3650
f) 7	"	2040